

Product Specification

Product Type: Commercial LCD Display

Product Model: M55T7A

Version: V1.3



Technical Specifications

1. Product Features



- > Narrow Bezel with Four Equal Edges
- Display modes: landscape and portrait
- > 4K display
- ➤ Anti-glare panel
- ➤ High Colour Accuracy
- > 700 nit
- ➤ 2* HDMI signal input
- ➤ RS232 serial port ring connection
- ➤ Off-screen remote control (external remote control available)
- **>** 24/7



2. Display Parameters

T
55 inches
VA
6.5ms
16:9
1209.6(H) × 680.43(V)mm
3840(H)×2160(V)
0.105 × 0.315mm
60Hz
1.07G (8bit+2bit FRC)
72%
6000:1
178°/178°(H/V)
DLED
700cd/m2 (WHITE BAL)
25%
2.4GHz & 5GHz,IEEE 802.11 a/b/g/n/ac/ax
/
≥50000 hours

3. Operation System

OS Version	Android 13.0
RAM	4G
ROM	32G
CPU	Quad-core A55
GPU	Mali-G52 MP2

4. Speaker



Channels	2.0
Power	2×5W

5. Electrical Parameters

Power Input	100-240V~50/60Hz 3A
Maximum Power Consumption	200W
Standby Power Consumption	≤0.5W

6. I/O Interface

LAN IN	1	10/100Mbps
IR IN	1	3.5mm headphone jack IR input
AUDIO OUT	1	3.5mm headphone jack output
RS232 IN	1	3.5mm headphone jack input
RS232 OUT	1	3.5mm headphone jack output
USB 3.0	1	Data Transfer
USB 2.0	1	System Upgrade/Data Transfer
HDMI IN	2	Supports HDCP 2.2, maximum support for 4K@60Hz

7. Size/Weight

Overall Dimensions (L×W×H)	1229.60 × 701.7 × 57.8mm
Package Dimensions (L×W×H)	1329 × 137 × 804.5mm
VESA Hole Specifications (L×W)	400 × 400mm
Wall Mount Screw Specifications	M6
Net Weight	15.2KG
Gross Weight	18.8KG

8. Accessories


Power Cord	×1
Remote Control	×1
AAA Battery	×2



9. Environmental Factors

Working Temperature	0°C ~40°C
Working Humidity	10%~80%RH
Storage Temperature	-10°C~55°C
Storage Humidity	10%~80%RH

10. Dimensions



11. Disclaimer

The actual dimensions/weight of the device may vary due to product configuration and manufacturing process. Please refer to the physical product for accurate information.

The product images in this Specification are for illustration purposes only, and the actual product may have slight differences in appearance, color, and size. Please refer to the physical product for accurate details.

In order to provide as accurate specification parameters as possible, the text description, picture effects, etc. of this Specification may be adjusted and revised in real-time, so as to match the actual product performance, specifications, etc.

If it is necessary to make the above revision and adjustment, no special notification will be issued.

Shanghai Goodview Electronic Technology Co., Ltd. |

Address: No. 458 Jinwan Road, Pudong New District, Shanghai | www.goodview.com